SAFETY DATA SHEET

1. Identification

Product identifier Manganese Combo

Other means of identification

Product Number 192

Recommended use Plant Nutrients Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Grigg Brothers Company name P.O. Box 128 **Address** Albion, ID 83311

Telephone General Assistance 888-246-8873

208-673-6340

E-mail info@griggbros.com

Poison Control 800-222-1222 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, dermal Category 4

Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Category 3

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word

Harmful in contact with skin. Causes skin irritation. Causes eye irritation. Harmful if inhaled. **Hazard statement**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid breathing vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated

area. Avoid release to the environment. Wear protective gloves/protective clothing.

If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable Response

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin

irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Store away from incompatible materials. Products should be stored above 12.8°C (55°F). Storage

> Storage of bulk products is best suited for original manufacturing containers. If required, storage in a polypropylene storage tank with polypropylene fittings is recommended. Metal storage tanks

and fittings are not recommended for long term.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise None known.

classified (HNOC)

Material name: Manganese Combo 192 Version #: 01 Issue date: 09-02-2015

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MAGNESIUM CHLORIDE		7791-18-6	10 - < 20
MANGANESE SULPHATE		7785-87-7	10 - < 20
ZINC SULFATE MONOHYDRATE		7446-19-7	3 - < 5
COPPER (II) SULFATE PENTAHYDRATE		7758-99-8	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
UREA		57-13-6	1 - < 3
Other components below reportable level	s		60 - < 70

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. Get medical advice/attention

if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash contaminated

clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

iedia Incellie benevde evicina fra

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods
General fire hazards

Move containers from fire area if you can do so without risk.

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

192 Version #: 01 Issue date: 09-02-2015

Methods and materials for containment and cleaning up

Should not be released into the environment.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	for Air Contaminants (29 CFR 1910.1000) Type	Value	
MANGANESE SULPHATE (CAS 7785-87-7)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
MANGANESE SULPHATE (CAS 7785-87-7)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	Form
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
MANGANESE SULPHATE (CAS 7785-87-7)	STEL	3 mg/m3	Fume.
, , ,	TWA	1 mg/m3	Fume.
US. Workplace Environmer	ital Exposure Level (WEEL) Guides		
Components	Турѐ	Value	Form
UREA (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
logical limit values	No biological exposure limits noted for the i	ngredient(s).	
propriate engineering	Good general ventilation (typically 10 air ch	anges per hour) should l	oe used. Ventilation rate

Bio App

controls

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear appropriate chemical resistant clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: Manganese Combo

SDS US

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorBlue green.OdorSlight.

Odor threshold Not available.

pH 1.9

Melting point/freezing point 1292 °F (700 °C) estimated Initial boiling point and boiling 1562 °F (850 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Percent volatile 62.21 % estimated

Specific gravity 1.29

VOC (Weight %) 1.23 % estimated

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

Conditions to avoidDo not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Bases. Reducing agents.

Hazardous decomposition

products

reactions

No hazardous decomposition products are known.

Material name: Manganese Combo

SDS US

11. Toxicological information

Information on likely routes of exposure

Harmful if inhaled. Inhalation

Harmful in contact with skin. Causes skin irritation. Skin contact

Eye contact Causes eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin

irritation. May cause redness and pain.

Information on toxicological effects

Harmful if inhaled. Harmful in contact with skin. **Acute toxicity**

Compo	nents	Species	Test Results		
COPPE	COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)				
	<u>Acute</u>				
	Oral				
	LD100	Mouse	50 mg/kg		
	LD50	Rat	960 mg/kg		
MAGNE	SIUM CHLORIDE (CAS 779	1-18-6)			
	<u>Acute</u>				
	Oral				
	LD50	Rat	2800 mg/kg		
MANGA	NESE SULPHATE (CAS 778	35-87-7)			
	<u>Acute</u>				
	Oral				
	LD100	Mouse	305 mg/kg		
TRADE	SECRET				
	<u>Acute</u>				
	Oral				
	LD50	Mouse	5040 mg/kg		
		Rat	6730 mg/kg		
UREA (CAS 57-13-6)				
	<u>Acute</u>				
	Oral				
	LD50	Rat	8471 mg/kg		
		Sheep	28500 mg/kg		
ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)					
	<u>Acute</u>				
	Dermal				
	LD50	Rat	> 2000 mg/kg		
	Oral				
	LD50	Mouse	57 mg/kg		
		D .	000 "		

^{*} Estimates for product may be based on additional component data not shown.

Rat

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: Manganese Combo

192 Version #: 01 Issue date: 09-02-2015

SDS US

623 mg/kg

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be

expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic

systems.

Co	mponents		Species	Test Results	
CO	COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)				
	Aquatic				
	Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours	
	Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours	
MA	GNESIUM CHLORIDE (C	AS 7791-18-6)			
	Aquatic				
	Crustacea	EC50	Calanoid copepod (Eudiaptomus padanus padanus)	95 - 342 mg/l, 48 hours	
	Fish	LC50	Fathead minnow (Pimephales promelas)	1580 - 2740 mg/l, 96 hours	
MA	NGANESE SULPHATE (CAS 7785-87-7)			
	Aquatic				
	Crustacea	EC50	Water flea (Daphnia magna)	7.09 - 9.36 mg/l, 48 hours	
	Fish	LC50	Fathead minnow (Pimephales promelas)	24.3 - 38.9 mg/l, 96 hours	
UR	EA (CAS 57-13-6)				
	Aquatic				
	Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours	
	Fish	LC50	Giant gourami (Colisa fasciata)	5 mg/l, 96 hours	
ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)					
	Aquatic				
	Crustacea	EC50	Rotifer (Philodina acuticornis)	0.3 mg/l, 48 hours	
	Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.162 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

UREA -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: Manganese Combo

SDS US 192 Version #: 01 Issue date: 09-02-2015

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

MANGANESE SULPHATE (CAS 7785-87-7)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
MANGANESE SULPHATE	7785-87-7	10 - < 20	
ZINC SULFATE MONOHYDRATE	7446-19-7	3 - < 5	
COPPER (II) SULFATE PENTAHYDRATE	7758-99-8	1 - < 3	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

MANGANESE SULPHATE (CAS 7785-87-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

192 Version #: 01 Issue date: 09-02-2015

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. Massachusetts RTK - Substance List

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8) ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

US. New Jersey Worker and Community Right-to-Know Act

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

MANGANESE SULPHATE (CAS 7785-87-7)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

US. Pennsylvania Worker and Community Right-to-Know Law

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

US. Rhode Island RTK

MANGANESE SULPHATE (CAS 7785-87-7)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 09-02-2015

Version # 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

192 Version #: 01 Issue date: 09-02-2015