# GRIGG BROS. 1-888-246-8873 www.griggbros.com

# SAFETY DATA SHEET

## 1. Identification

Product identifier Ultraplex Plus

Other means of identification

Product Number 256

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Grigg Brothers
Address P.O. Box 128
Albion, ID 83311

**Telephone** General Assistance 888-246-8873

208-673-6340

E-mail info@griggbros.com

Emergency phone number Poison Control 800-222-1222

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal

Acute toxicity, inhalation

Category 4

Category 4

Serious eye damage/eye irritation

Category 2B

Sensitization, skin

Category 1

Hazardous to the acutatic environment south.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Harmful in contact with skin. May cause an allergic skin reaction. Causes

eye irritation. Harmful if inhaled. Harmful to aquatic life. Harmful to aquatic life with long lasting

effects.

**Precautionary statement** 

**Prevention** Avoid breathing mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing. Do not eat, drink or smoke when using this product. Use only outdoors or in a

well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid

release to the environment.

Response If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If

inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: Ultraplex Plus SDS US

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

14.23% of the mixture consists of component(s) of unknown acute oral toxicity. 39.47% of the mixture consists of component(s) of unknown acute dermal toxicity.

# 3. Composition/information on ingredients

# **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	11.61
UREA		57-13-6	9.49
TRADE SECRET*		Proprietary*	5.83
MAGNESIUM CHLORIDE		7791-18-6	4.29
POTASSIUM NITRATE		7757-79-1	4.2
MANGANESE SULPHATE		7785-87-7	1.43
ZINC SULFATE MONOHYDRATE		7446-19-7	1.19
DISODIUM OCTABORATE TETRAHYDRATE		12280-03-4	0.42
COPPER (II) SULFATE PENTAHYDRATE		7758-99-8	0.36
Other components below reportable	levels		61.19

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

Material name: Ultraplex Plus SDS US

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits

**Biological limit values** 

Components	Туре	Value	
MANGANESE SULPHATE (CAS 7785-87-7)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Values	•		
Components	Туре	Value	Form
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
MANGANESE SULPHATE (CAS 7785-87-7)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction
TRADE SECRET	TWA	1 mg/m3	
US. NIOSH: Pocket Guide to Chem	ical Hazards		
Components	Туре	Value	Form
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
MANGANESE SULPHATE (CAS 7785-87-7)	STEL	3 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
TRADE SECRET	TWA	1 mg/m3	
US. Workplace Environmental Exp	osure Level (WEEL) Guides		
Components	Туре	Value	Form
UREA (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Material name: Ultraplex Plus SDS US

No biological exposure limits noted for the ingredient(s).

# Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Dark brown.
Odor Not available.
Odor threshold Not available.

pH 2.4

Melting point/freezing point 270.86 °F (132.7 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** 1850 °F (1010 °C) estimated

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile 55.07 % estimated

Material name: Ultraplex Plus sps us

Specific gravity 1.29

VOC (Weight %) 5.04 % estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Harmful if inhaled.

**Skin contact** Harmful in contact with skin. May cause an allergic skin reaction.

**Eye contact**Causes eye irritation. **Ingestion**Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

cause an allergic skin reaction. Dermatitis. Rash.

#### Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful in contact with skin. Harmful if swallowed. May cause an allergic skin

reaction.

Components Species Test Results

## COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

<u>Acute</u>

Oral

 LD100
 Mouse
 50 mg/kg

 LD50
 Rat
 960 mg/kg

DISODIUM OCTABORATE TETRAHYDRATE (CAS 12280-03-4)

**Acute** 

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Guinea pig 5300 mg/kg

Rat 2 g/kg

MAGNESIUM CHLORIDE (CAS 7791-18-6)

**Acute** 

Oral

LD50

Rat 2800 mg/kg

MANGANESE SULPHATE (CAS 7785-87-7)

Acute Oral

LD100 Mouse 305 mg/kg

POTASSIUM NITRATE (CAS 7757-79-1)

**Acute** 

Oral

LD50 Rabbit 1166 mg/kg

Material name: Ultraplex Plus SDS US

256 Version #: 04 Revision date: 09-30-2015 Issue date: 08-31-2015

Components **Species Test Results** 

TRADE SECRET

**Acute** 

Oral

LD50 Mouse 5040 mg/kg

> Rat 6730 mg/kg

UREA (CAS 57-13-6)

**Acute** Oral

LD50 Rat 8471 mg/kg

> Sheep 28500 mg/kg

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

**Acute Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Mouse 57 mg/kg

> Rat 623 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Test Results** Components **Species** 

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 0.0058 - 0.0073 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.66 - 1.15 mg/l, 96 hours

Material name: Ultraplex Plus SDS US Components Species Test Results

MAGNESIUM CHLORIDE (CAS 7791-18-6)

Aquatic

Crustacea EC50 Calanoid copepod (Eudiaptomus 95 - 342 mg/l, 48 hours

padanus padanus)

Fish LC50 Fathead minnow (Pimephales promelas) 1580 - 2740 mg/l, 96 hours

MANGANESE SULPHATE (CAS 7785-87-7)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) 7.09 - 9.36 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 24.3 - 38.9 mg/l, 96 hours

POTASSIUM NITRATE (CAS 7757-79-1)

**Aquatic** 

Fish LC50 Western mosquitofish (Gambusia affinis) 22.5 mg/l, 96 hours

UREA (CAS 57-13-6)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 3910 mg/l, 48 hours
Fish LC50 Giant gourami (Colisa fasciata) 5 mg/l, 96 hours

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

Aquatic

Crustacea EC50 Rotifer (Philodina acuticornis) 0.3 mg/l, 48 hours

Fish LC50 Rainbow trout, donaldson trout 0.162 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

UREA -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Material name: Ultraplex Plus sps us

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

MANGANESE SULPHATE (CAS 7785-87-7)

Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
POTASSIUM NITRATE	7757-79-1	4.2	
MANGANESE SULPHATE	7785-87-7	1.43	
ZINC SULFATE MONOHYDRATE	7446-19-7	1.19	

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

MANGANESE SULPHATE (CAS 7785-87-7)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

POTASSIUM NITRATE (CAS 7757-79-1)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

# US. New Jersey Worker and Community Right-to-Know Act

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

DISODIUM OCTABORATE TETRAHYDRATE (CAS 12280-03-4)

MANGANESE SULPHATE (CAS 7785-87-7)

POTASSIUM NITRATE (CAS 7757-79-1)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

POTASSIUM NITRATE (CAS 7757-79-1)

TRADE SECRET (CAS Proprietary)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

# US. Rhode Island RTK

MANGANESE SULPHATE (CAS 7785-87-7)

Material name: Ultraplex Plus SDS US

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 08-31-2015

 Revision date
 09-30-2015

Version # 04

United States & Puerto Rico

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge.

Toxic Substances Control Act (TSCA) Inventory

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information GHS: Classification

Material name: Ultraplex Plus sps us

No