SAFETY DATA SHEET

1. Identification

Product identifier Grigg Kal-B

Other means of identification

Product code 32026

Recommended use Turf- fertilizer

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co E-mail www.brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation

Serious eye damage/eye irritation

Reproductive toxicity

Specific target organ toxicity, repeated

Category 2

Category 2

Category 2

exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Harmful if swallowed. Causes severe skin burns and eye damage. Causes eye irritation.

Suspected of damaging fertility or the unborn child. May cause damage to organs through

prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist/vapors. Do not breathe dust or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

Response Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair):

Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Store locked up. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Supplemental information Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Potassium Nitrate		7757-79-1	5 - < 10
Urea		57-13-6	3 - < 5
Citric Acid, Anhydrous		77-92-9	1 - < 3
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.3
Other components below reportabl	e levels		80 - < 90

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delayed

Ingestion

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Should not be released into the environment.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	nit Values (TLV) Type	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Canada. Alberta OELs (C	Occupational Health & Safety Code, Sche	edule 1, Table 2), as amende	ed
Components	Туре	Value	
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	3 ррт	
	TWA	1 mg/m3	
Canada. Manitoba OELs	(Reg. 217/2006, The Workplace Safety A	nd Health Act), as amended	I
Components	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
	Regulation 833, Control of Exposure to B	siological or Chemical Agen	ts), as amended
Canada. Ontario OELs (F	regulation 033, control of Exposure to b	iological of olicinical rigori	
Canada. Ontario OELs (R Components	Type	Value	Form
		_	
Disodium Octaborate Tetrahydrate (CAS	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS	Type STEL	Value 6 mg/m3 2 mg/m3	Form Inhalable fraction.
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	Type STEL TWA	Value 6 mg/m3 2 mg/m3 r the ingredient(s). sed. Ventilation rates should be call exhaust ventilation, or otherwise mended exposure limits. If extending an acceptable level. Eye was to an acceptable level.	Inhalable fraction. Inhalable fraction. Inhalable fraction. De matched to conditions. If the engineering controls to posure limits have not been
Disodium Octaborate Tetrahydrate (CAS 12008-41-2) logical limit values propriate engineering atrols	Type STEL TWA No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recome established, maintain airborne levels to shower must be available when handles, such as personal protective equipments.	Value 6 mg/m3 2 mg/m3 r the ingredient(s). sed. Ventilation rates should be ocal exhaust ventilation, or otherwise mended exposure limits. If exto an acceptable level. Eye we ing this product.	Inhalable fraction. Inhalable fraction. Inhalable fraction. De matched to conditions. If the engineering controls to posure limits have not been ash facilities and emergency
Disodium Octaborate Tetrahydrate (CAS 12008-41-2) logical limit values propriate engineering atrols	Type STEL TWA No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recome established, maintain airborne levels to shower must be available when handle	Value 6 mg/m3 2 mg/m3 r the ingredient(s). sed. Ventilation rates should be ocal exhaust ventilation, or otherwise mended exposure limits. If exto an acceptable level. Eye we ing this product.	Inhalable fraction. Inhalable fraction. Inhalable fraction. De matched to conditions. If the engineering controls to posure limits have not been ash facilities and emergency

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Liquid. **Appearance Physical state** Liquid. **Form** Liquid.

Color Clear colorless or nearly colorless

Odor Not available. **Odor threshold** Not available.

1.4 Ha

Melting point/freezing point 638.6 °F (337 °C) estimated Initial boiling point and boiling 211.95 °F (99.97 °C) estimated

range

Flash point Not available. **Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

-0.01 hPa estimated Vapor pressure

Vapor density Not available.

1.474 g/cm3 (typical) Relative density

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Viscosity

Other information

Explosive properties Not explosive. Not oxidizing. Oxidizing properties 26.77 % estimated Percent volatile Pounds per gallon 12.3 lb/gal (typical) VOC 2.32 % estimated

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials. Do not mix with other chemicals.

Incompatible materials Bases. Reducing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Causes severe skin burns. **Eve contact** Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Product

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Test Results

blindness could result.

Species

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

Grigg Kal-B **Acute Dermal** LD50 Rabbit 416667 mg/kg Oral LD50 Rat 518 mg/kg Components **Species Test Results**

Citric Acid, Anhydrous (CAS 77-92-9)

Acute Oral

LD50 Rat 3000 - 12000 mg/kg

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2550 mg/kg

2 g/kg

Urea (CAS 57-13-6)

Acute Oral

8471 mg/kg LD50 Rat

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Irritant

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

ACGIH Carcinogens

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Potassium Nitrate (CAS 7757-79-1) 2A Probably carcinogenic to humans.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Product

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure. Prolonged exposure may cause chronic effects.

Test Results

12. Ecological information

EcotoxicityBecause of the low pH of this product, it would be expected to produce significant ecotoxicity upon

exposure to aquatic organisms and aquatic systems.

Species

Product		Species	lest Results
Grigg Kal-B			
Aquatic			
Crustacea	EC50	Daphnia	37391.3008 mg/l, 48 hours estimated
Fish	LC50	Fish	3124.1394 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	894.3839 mg/l, 48 hours estimated
Fish	LC50	Fish	1776.6216 mg/l, 96 hours estimated
Components		Species	Test Results
Disodium Octaborate T	etrahydrate (CAS	12008-41-2)	
Aquatic			
Acute			
Crustacea	LC50	Daphnia magna	619 mg/l
Fish	LC50	Pimephales promelas	370 mg/l
Potassium Nitrate (CAS	S 7757-79-1)		
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	1200 mg/l, 96 hours
		Fish	> 1378 - < 3000 mg/l
Jrea (CAS 57-13-6)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	>= 16200 - <= 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Citric Acid, Anhydrous -1.64 Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN1760 **UN** number

UN proper shipping name

Corrosive liquids, n.o.s. (Calcium amino acid complex)

Transport hazard class(es)

Class 8 Subsidiary hazard Ш Packing group No. **Environmental hazards**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number

UN proper shipping name Corrosive liquids, n.o.s. (Calcium amino acid complex)

Transport hazard class(es)

Class 8 Subsidiary hazard 8 Label(s) Ш Packing group **Environmental hazards** No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1760

UN proper shipping name

Corrosive liquids, n.o.s. (Calcium amino acid complex)

Transport hazard class(es)

8 **Class** Subsidiary hazard 8 Label(s) Ш Packing group **Environmental hazards**

> Marine pollutant No.

Not assigned.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Not established. Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Taiwan

 Issue date
 10-22-2018

 Revision date
 08-27-2024

Version # 06

United States & Puerto Rico

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

Revision information Composition / Information on Ingredients: Component Summary

Inventory name

Material name: Grigg Kal-B SDS CANADA

No

No

On inventory (yes/no)*